UNIVERSITY OF BIRMINGHAM University of Birmingham Research at Birmingham

What are the odds?

Easter, Christina; Hemming, Karla

DOI: 10.1111/1471-0528.16704

License: Creative Commons: Attribution (CC BY)

Document Version Publisher's PDF, also known as Version of record

Citation for published version (Harvard): Easter, C & Hemming, K 2021, 'What are the odds? Interpretation of odds ratios from a logistic regression model', BJOG: An International Journal of Obstetrics & Gynaecology, vol. 128, no. 11, pp. 1748-1749. https://doi.org/10.1111/1471-0528.16704

Link to publication on Research at Birmingham portal

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

•Users may freely distribute the URL that is used to identify this publication.

•Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research. •User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)

•Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

HOLOGIC

A Game Changer in Fluid Management

Enhanced control & efficiency for better patient care*

Simple and easy to use, the Fluent[®] fluid management system works seamlessly with the integrated MyoSure[®] controller, together with the Omni[™] hysteroscope, to streamline your workflow in any patient setting.

#FluentFluidControl

www.gynsurgicalsolutions.com/Fluent

ADS-03112-EUR-EN Rev 001 © 2020 Hologic, Inc. All rights reserved. Hologic, Fluent, Myosure, Omni and associated logos are trademarks and/or registered trademarks of Hologic, Inc. and/or its subsidiaries in the United States and/or other countries. This information is intended for medical professionals and is not intended as a product solicitation or promotion where such activities are prohibited. Because Hologic materials are distributed through websites, eBroadcasts and tradeshows, it is not always possible to control where such materials appear. For specific information on what products are available for sale in a particular country, please contact your local Hologic representative or write to **euinfo@hologic.com**.

* As compared to conventional fluid management systems currently on the market.



FLUENT

What are the odds?



Series edited by Karla Hemming

and Natalie AM Cooper

Interpretation of odds ratios from a logistic regression model



CHRISTINA EASTER, D AND KARLA HEMMING, INSTITUTE OF APPLIED HEALTH RESEARCH, UNIVERSITY OF BIRMINGHAM, BIRMINGHAM, UK

Learning points

• Logistic regression analysis is used for binary outcome data (e.g. maternal death) to model associations with multiple different predictors, represented in terms of odds ratios (OR).

 An OR >1 indicates increase in odds of the outcome and OR <1 indicates a decrease in odds of the outcome.

For categorical predictors (e.g. age), the ORs represent the increase in odds of the outcome occurring, compared with the (arbitrarily) chosen reference group.
For continuous predictors (e.g. age in years), the ORs would represent the increase in odds of the outcome occurring, for each unit increase in the predictor.

A case-control study used logistic regression to examine factors associated with maternal death due to direct pregnancy complications using 14 previously identified risk factors (Nair et al. BJOG 2015;122:653-62). In a univariable analysis, only one predictor is included in the model and the model shows the association between the single predictor and the outcome, without any consideration of other characteristics. In a multivariable analysis, more than one predictor is included in the model. Multivariable models depict the relationship between multiple characteristics and the outcome, allowing for the impact of other characteristics. This is sometimes referred to as an adjusted association. In Table 1. the adjusted odds ratios and corresponding 95% CI for each variable are provided for all 14 variables.

The adjusted odds ratio value gives the odds of maternal death compared with the reference group, with a 95% CI assessing the statistical significance of that variable. A confidence interval that includes the null value of I (i.e. the odds between the two groups are equal) indicates that the association is not statistically significant.

In the example (Table 1), age has been

categorised with the reference group being women 'age 20– 34 years'. For those aged <20 years the odds ratio is 0.76, which can be interpreted as a 24% reduction in odds of maternal death (after adjusting for other characteristics listed in Table I) compared with those aged 20–34 years. The corresponding 95% CI (0.29–2.03) shows that the odds can range from a 71% reduction to a doubling in odds compared with those aged 20–34 years. This interval includes the null value of I; therefore, the odds for maternal death for those aged <20 years are not statistically significant (at the 5% level) compared with those aged 20–34 years. Had age been treated as a

Table I. Multiple logistic regression analysis displaying the adjusted odds ratios for the variables of interest with their corresponding 95% CI (an odds ratio of I indicates the reference group)

Risk factor	Adjusted odds ratio	95% CI
Age (years)		
<20	0.76	0.29–2.03
20–34	I	
≥35	0.94	0.60-1.48
Parity		
Nulliparous	1.05	0.62-1.78
I–3	I. I.	
>3	0.79	0.43-1.43
Body mass index (kg/m ²)		
<18.5	1.56	0.57-4.28
18.5–30	I. I.	
≥30	1.05	0.66–1.70
Multiple pregnancy	0.67	0.22-2.01
Gestational diabetes	1.43	0.59–3.44
Hypertensive disorders of pregnancy	2.44	1.31-4.52
Anaemia	2.39	0.60–9.47
Inadequate use of antenatal care	15.9	6.73–37.4
Smoking status	0.79	0.45–1.39
Substance misuse	10.2	1.81–57.0
Previous pregnancy problems	2.21	1.34–3.62
Pre-existing medical problems	4.82	3.14-7.40
Employment status	1.27	0.65–2.47
Ethnicity		
White European	I	
Indian	2.70	1.14–6.43
Pakistani	2.10	0.86–5.11
Bangladeshi	1.21	0.27–5.45
Other Asian	1.08	0.36-3.27
Black Caribbean	0.93	0.24–3.64
Black African	1.09	0.51-2.31
Other/mixed	1.46	0.59–3.61

continuous variable, then the odds ratio would represent the increase in odds (of maternal death) for each unit (e.g. year) increase in age.

If there is an 'inadequate use of antenatal care' then there is an estimated 15.9 times increase in odds of maternal death compared with if an 'adequate use of antenatal care' was received. The 95% CI indicates that these odds might range from 6.73 to 37.4. Although this confidence interval seems relatively wide, because it does not include the null value of one, it is supportive of an increase in odds.

Logistic regression models can be used to estimate odds of the event (e.g. maternal death) for individuals. Consider for example a mother aged \geq 35 years with substance misuse and all other characteristics having the reference value (e.g. no multiple pregnancy and no gestational diabetes). To estimate the combined odds ratio, the individual odds ratios are simply multiplied together, producing an odds ratio of 9.55 (0.94 × 10.2). The 95% Cl for this odds ratio cannot simply be multiplied together and as in the case of linear regression, statistical programmes are required for this calculation.

Useful resources

A comprehensive and detailed look into odds and odds ratios:

• http://www.bmj.com/content/320/7247/1468.1

An informative way of looking further into logistic regression:

http://www.bmj.com/content/347/bmj.f4488##

Disclosure of interests

None declared by CE. KH receives fees as a statistical reviewer for BJOG outside of this work. Completed disclosure of interests form available to view online as supporting information.

Acknowledgements

CATCH-ME – This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement no. 633196.

Data availability statement

Data sharing not applicable to this article as no datasets were generated or analysed during the current study. \blacksquare