

Incorporating human behavior in VR compartmental simulation models

Skull, R.; Kitchen, W.; Phoenix, D.; Mackenzie, C.; Allison, N.; Hunt, R.; Stella, L.

DOI:

[10.1145/3489849.3489946](https://doi.org/10.1145/3489849.3489946)

License:

Other (please specify with Rights Statement)

Document Version

Peer reviewed version

Citation for published version (Harvard):

Skull, R, Kitchen, W, Phoenix, D, Mackenzie, C, Allison, N, Hunt, R & Stella, L 2021, Incorporating human behavior in VR compartmental simulation models. in Y Itoh, K Takashima, P Punpongsanon, M Sra, K Fujita, S Yoshida & T Piumsomboon (eds), *VRST '21: Proceedings of the 27th ACM Symposium on Virtual Reality Software and Technology.*, 81, ACM proceedings, Association for Computing Machinery (ACM), New York. <https://doi.org/10.1145/3489849.3489946>

[Link to publication on Research at Birmingham portal](#)

Publisher Rights Statement:

© 2021 Copyright held by the owner/author(s). This is the author's version of the work. It is posted here for your personal use. Not for redistribution. The definitive Version of Record was published in VRST '21: Proceedings of the 27th ACM Symposium on Virtual Reality Software and Technology, <https://doi.org/10.1145/3489849.3489946>.

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Incorporating Human Behavior in VR Compartmental Simulation Models

Ryan Skull

Department of Computing,
University of Derby
Derby, UK
r.skull1@unimail.derby.ac.uk

Will Kitchen

Department of Computing,
University of Derby
Derby, UK
w.kitchen1@unimail.derby.ac.uk

David Phoenix

Department of Computing,
University of Derby
Derby, UK
d.phoenix2@unimail.derby.ac.uk

Connor Mackenzie

Department of Computing,
University of Derby
Derby, UK
c.mackenzie2@unimail.derby.ac.uk

Nathan Allison

Department of Computing,
University of Derby
Derby, UK
n.allison3@unimail.derby.ac.uk

Roisin Hunt

Department of Computing,
University of Derby
Derby, UK
r.hunt1@derby.ac.uk

Leonardo Stella

Department of Computing,
University of Derby
Derby, UK
l.stella@derby.ac.uk

ABSTRACT

A novel strand of Coronavirus has affected a large number of individuals worldwide, putting a considerable stress to national health services and causing many deaths. Many control measures have been put in place across different countries with the aim to save lives at the cost of personal freedom. Computer simulations have played a role in providing policy makers with critical information about the virus. However, despite their importance in applied epidemiology, general simulation models, are difficult to validate because of how hard it is to predict and model human behavior. To this end, we propose a different approach by developing a virtual reality (VR) multi-agent virus propagation system where a group of agents interact with the user in a university setting. We created a VR digital twin replica of a building in the University of Derby campus, to enhance the user's immersion in our study. Our work integrates human behavior seamlessly in a simulation model and we believe that this approach is crucial to have a deeper understanding on how to control the spread of a virus such as COVID-19.

ACM Reference Format:

Ryan Skull, Will Kitchen, David Phoenix, Connor Mackenzie, Nathan Allison, Roisin Hunt, and Leonardo Stella. 2021. Incorporating Human Behavior in VR Compartmental Simulation Models. In *27th ACM Symposium on Virtual Reality Software and Technology (VRST '21)*, November 14–17, 2021, Virtual Event, Tokyo. ACM, New York, NY, USA, 3 pages. <https://doi.org/10.1145/3385956.3422093>

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

VRST '21, December 14–17, 2021, Virtual Event, Tokyo

© 2021 Copyright held by the owner/author(s).

ACM ISBN 978-x-xxxx-xxxx-x/YY/MM.

<https://doi.org/10.1145/3385956.3422093>

1 INTRODUCTION

An unprecedented epidemic caused by a novel strand of Coronavirus called SARS-CoV-2 has rapidly spread across the globe since its first outbreak in Wuhan, Hubei Province, China [1]. Despite the extremely fast response in the approval process for a range of vaccines and a fast roll-out, this virus is still cause of extreme concerns due to its ability to mutate quickly, causing new more transmissible variants such as the recent delta variant [2, 3]. Computer simulation models have been at the forefront of the battle against the spread of the virus for their aid in providing guidance on the most appropriate control measures [4]. For example, Covasim is an agent-based simulation where agents progress through the different epidemiological states, producing the state data as output [5]. A portion of the general public is skeptical of the effectiveness provided by the restrictions, and others struggle to grasp their importance. One of the most common control measures involves maintaining a minimum physical distance of 1-2m, which often people fail to maintain. To help people visualize the physical distance, Marti-Mason *et al.* developed a digital twin virtual reality application called SoDAIVR, that let the user move around in a building populated with AI agents: based on the relative distance between the user and the agents, the user receives visual feedback relating to the social distancing rules [6].

Virtual Reality has a heavy background in its potential usage for education. In an effort to understand the psychological motivations that underpin the policy acceptance by the vast majority of the population, a study finds that empathy promotes physical distancing and wearing of face masks during the epidemic [7]. Within the context of the COVID-19 epidemic, the same research group studied the impact of pedagogical agents in VR [8] and created a serious game application where the user can play the role of an infected individual or a vulnerable person traversing a square to emphasize the importance of vaccination [9].

In this paper, we created a virus propagation system in VR, where agents follow a schedule and propagate the virus based on distance and other non-pharmaceutical interventions (NPIs) such as mask adoption. Finally, we created a VR digital twin of one of the main buildings at our university, to act as a faithful replica.

2 VIRUS PROPAGATION SYSTEM

In this section, we present the compartmental model underpinning our VR application, see [11, 12]. We use a microscopic SIR model to determine the probability of being in any of the three states for each agent, namely susceptible, infected and removed. The underlying network topology changes over time based on the position of the agents. The following system of ordinary differential equations (ODEs) describes the time evolution of the infection probability:

$$\begin{cases} \dot{p}_j^S &= -p_j^S \sum_{k=1}^N \beta_{jk} p_k^I, \\ \dot{p}_j^I &= -\delta p_j^I + p_j^S \sum_{k=1}^N \beta_{jk} p_k^I, \\ \dot{p}_j^R &= +\delta p_j^I, \end{cases} \quad (1)$$

where \dot{p}_j^S is the change in probability of being susceptible, \dot{p}_j^I infected, and \dot{p}_j^R removed. For the conservation of mass, we have that $\dot{p}_j^S + \dot{p}_j^I + \dot{p}_j^R = 1, \forall j = 1, \dots, N$. In the above, the Greek letters represent the parameters of the model: agents recover at rate δ , and become infected at rate $\beta_{jk} = \gamma_{jk} \alpha_{jk} \nu$, where parameter ν acts as a base infection rate, γ_{jk} acts as a multiplier to the base infection rate representing the distance and α_{jk} takes value based on the mask adoption, ranging from 0.5 when both agents wear a mask to 1.5 when none does.

3 TIMETABLE SYSTEM

The application uses a timetable system to form groups of agents who arrive at the university for a given time, perform tasks and then leave the building. Unity's scriptable objects are a suitable data container for both the schedule that individuals use, as well as an overarching configuration for the current scenario. Schedules consist of multiple tasks, a task consists of a location for the task to occur, the time that the task begins, and the duration that the task will take. The configuration then stores groups of agents who share the same schedule, how many agents share the same schedule, and their probability of infection and mask adoption. Lastly the configuration also stores the infection and recovery rates. Data can be exported at the end of the simulation allowing for comparison between simulations, such as the impact of the user on the simulated world, or the difference between control measures. Figure 1 shows the different components of the timetabling system in a diagram.

4 DIGITAL TWIN

We created a faithful replica of one of the main buildings at the University of Derby through a number of specialised softwares, including Blender, Substance painter, Maya and Photoshop. Texturing of doors and tape was performed by editing substance painters pre-made materials to be suitable and realistic, whereas bigger building props were textured using free open source textures [13] and applied in engine. Figure 2 shows the final result.

For the characters we used Mixamo character models as a base [14]. This allowed us to leverage their rigs and animations and to




Figure 1: Diagram representation of the timetabling system.



Figure 2: Sample of the environment, the cafeteria.

provide more variations. We then modified the clothing and hair to create a wide array of student models, for a better user immersion. Figure 3 shows some of the characters and the outline, representing their infection probability: the darker the outline the higher the probability of being infected.



Figure 3: Character models and their outline.

5 CONCLUSION

In this paper, we have developed a VR application to visualize the transmission of COVID-19 between AI agents and a user in a university setting. Future research includes the integration of multiple users through online networking and a study of the interactions between users and agents.

ACKNOWLEDGMENTS

This research was supported by the Early Career Researchers Development Fund, University of Derby.

REFERENCES

- [1] N. Zhu, D. Zhang, W. Wang *et al.*, “A Novel Coronavirus from Patients with Pneumonia in China, 2019”, *New England Journal of Medicine*, vol. 382, no. 8, pp. 727–733, 2020. Available: <https://doi.org/10.1056/NEJMoa2001017>.
- [2] A. Sheikh, J. McMenamin, B. Taylor and C. Robertson, “SARS-CoV-2 Delta VOC in Scotland: demographics, risk of hospital admission, and vaccine effectiveness”, *The Lancet*, vol. 397, no. 10293, pp. 2461–2462, 2021. Available: [https://doi.org/10.1016/S0140-6736\(21\)01358-1](https://doi.org/10.1016/S0140-6736(21)01358-1).
- [3] E. Wall, M. Wu, R. Harvey *et al.*, “Neutralising antibody activity against SARS-CoV-2 VOCs B.1.617.2 and B.1.351 by BNT162b2 vaccination”, *The Lancet*, vol. 397, no. 10292, pp. 2331–2333, 2021. Available: [https://doi.org/10.1016/S0140-6736\(21\)01290-3](https://doi.org/10.1016/S0140-6736(21)01290-3).
- [4] S. Flaxman, S. Mishra, A. Gandy *et al.*, “Report 13: Estimating the number of infections and the impact of non-pharmaceutical interventions on COVID-19 in 11 European countries”, Imperial College COVID-19 Response Team, 2020. Available: <https://doi.org/10.25561/77731>
- [5] C. C. Kerr, R. M. Stuart, D. Mistry *et al.*, “Covasim: an agent-based model of COVID-19 dynamics and interventions”, *medRxiv*, 2020. Available: <https://doi.org/10.1101/2020.05.10.20097469>
- [6] D. Marti-Mason, M. Kapinaj, A. Pínel-Martínez, L. Stella, “Impact of Social Distancing to Mitigate the Spread of COVID-19 in a Virtual Environment”, *ACM Symposium on Virtual Reality Software and Technology (VRST)*, 2020, pp. 1–3. Available: <https://doi.org/10.1145/3385956.3422093>
- [7] S. Pfattheicher, L. Nockur, R. Böhm, C. Sassenrath and M. B. Petersen, “The Emotional Path to Action: Empathy Promotes Physical Distancing and Wearing of Face Masks During the COVID-19 Pandemic”, *Psychological Science*, 2020. Available <https://doi.org/10.1177/0956797620964422>
- [8] G. B. Petersen, A. Mottelson and G. Makransky, “Pedagogical Agents in Educational VR: An in the Wild Study”, *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems (CHI '21)*, 2021. Available: <https://doi.org/10.1145/3411764.3445760>
- [9] “Virtual Reality and Vaccination - EIT Health”, *EIT Health*, 2021. [Online]. Available: <https://eithealth.eu/project/virtual-reality-and-vaccination/>. [Accessed: 04-Jul-2021].
- [10] L. Clack, C. Hirt, M. Wenger *et al.*, “VIRTUE - A Virtual Reality Trainer for Hand Hygiene”, *Proceedings of the 9th International Conference on Information, Intelligence, Systems and Applications (IISA)*, 2018. Available: <https://doi.org/10.1109/IISA.2018.8633588>
- [11] W. O. Kermack and A. G. McKendrick, “A Contribution to the Mathematical Theory of Epidemics”, in *Proceedings of the Royal Society of London A*, vol. 115, no. 772, pp. 700–721, 1927. Available: [doi:10.1098/rspa.1927.0118](https://doi.org/10.1098/rspa.1927.0118).
- [12] L. Stella, A. Pínel-Martínez, D. Bauso and P. Colaneri, “The Role of Asymptomatic Infections in the COVID-19 Epidemic via Complex Networks and Stability Analysis”, accepted for publication in *Siam Sicon*, 2021.
- [13] “Textures”, *Textures*, 2021. [Online]. Available <https://www.textures.com> [Accessed: 02-Jul-2021]
- [14] “Mixamo”, *Mixamo*, 2021. [Online]. Available <https://www.mixamo.com> [Accessed: 28-Jun-2021]