

Editorial

de Jong, Johan; van der Lucht, Fons; Stathi, Afroditi

DOI:

[10.3389/fpubh.2024.1372316](https://doi.org/10.3389/fpubh.2024.1372316)

License:

Creative Commons: Attribution (CC BY)

Document Version

Publisher's PDF, also known as Version of record

Citation for published version (Harvard):

de Jong, J, van der Lucht, F & Stathi, A 2024, 'Editorial: Future directions of active lifestyle promotion in community-dwelling older adults', *Frontiers in public health*, vol. 12, 1372316.
<https://doi.org/10.3389/fpubh.2024.1372316>

[Link to publication on Research at Birmingham portal](#)

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.



OPEN ACCESS

EDITED AND REVIEWED BY
Marcia G. Ory,
Texas A&M University, United States

*CORRESPONDENCE

Johan de Jong
✉ jo.de.jong@pl.hanze.nl

RECEIVED 17 January 2024

ACCEPTED 29 January 2024

PUBLISHED 06 February 2024

CITATION

de Jong J, van der Lucht F and Stathi A (2024)
Editorial: Future directions of active lifestyle
promotion in community-dwelling older
adults. *Front. Public Health* 12:1372316.
doi: 10.3389/fpubh.2024.1372316

COPYRIGHT

© 2024 de Jong, van der Lucht and Stathi.
This is an open-access article distributed
under the terms of the [Creative Commons
Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use,
distribution or reproduction in other forums is
permitted, provided the original author(s) and
the copyright owner(s) are credited and that
the original publication in this journal is cited,
in accordance with accepted academic
practice. No use, distribution or reproduction
is permitted which does not comply with
these terms.

Editorial: Future directions of active lifestyle promotion in community-dwelling older adults

Johan de Jong^{1,2*}, Fons van der Lucht^{3,4} and Afroditi Stathi⁵

¹School of Sports Studies, Hanze University of Applied Sciences, Groningen, Netherlands, ²Center for Human Movement Sciences, University Medical Center Groningen, University of Groningen, Groningen, Netherlands, ³School of Health, Hanze University of Applied Sciences, Groningen, Netherlands, ⁴National Institute for Public Health and the Environment, Bilthoven, Netherlands, ⁵School of Sport, Exercise and Rehabilitation Sciences, College of Life and Environmental Sciences, University of Birmingham, Birmingham, United Kingdom

KEYWORDS

active lifestyle, older adults, prevention, innovation, health

Editorial on the Research Topic

[Future directions of active lifestyle promotion in community-dwelling older adults](#)

Call for prevention and innovation

Future projections demonstrate that the number of people aged 65 years and older will double in the next 25 years. By 2050, one third of the European population will consist of older adults (1, 2). An increasing proportion of this group will live longer, managing health problems that have physical, social, and mental impact. These developments result in a higher overall societal burden and an unsustainable rise in health and social care costs. More health care employees will be needed to deliver the required levels of primary and secondary care. This adds considerable demand on financial resources for healthcare systems which already report a tremendous shortage of health professionals. A key strategy to cope with these challenges is to focus more on prevention and innovation regarding health promotion in older adults.

There is ample evidence about the impact of physical activity on the physical, mental and social wellbeing of older adults (3). An active lifestyle can lead to better vitality, reduction in the risk of falling, frailty and compression of the ill-health years toward the end of the lifespan (4, 5). For successfully promoting and implementing of an active lifestyle, new and innovative public health approaches are needed encompassing the entire prevention spectrum from broad universal to selective tailored forms of prevention for the community dwelling older adults. For that, a broader use of ecological models focusing on the interaction between older adults and their environmental contexts should be promoted (6, 7). Further, new ways to actively engage older adults should be tested and applied to achieve better compliance to interventions resulting in more positive health impact.

This special issue consists of eight articles which can be clustered in two main parts regarding the future directions of active lifestyle promotion in community-dwelling older adults. The first part describes the needs of older adults and health professionals/experts regarding health promotion, the determinants and factors of influence on health-related indicators in different countries. The second part provides two examples of good practice

via (a) the active engagement of older adults in fall prevention programs and (b) the successful impact of a comprehensive group-based, exercise and behavioral maintenance programme targeting older people with mobility limitations.

Factors, determinants and needs of active lifestyle promotion in older adults

In their explorative study among Iranian older adults and geriatric experts, [Ayoubi-Mahani et al.](#) revealed personal, managerial, and educational needs for active aging which could assist policymakers and geriatric experts to promote and meet active aging needs successfully.

[Chen et al.](#) explored the factors related to volunteering participation of older adults and their impact on successful aging in East Taiwan. Results confirmed that the motivation and expectation of middle-aged and older adults to participate in volunteering affected their continuous participation behavior and successful aging status through satisfaction.

[Tan et al.](#) investigated whether neighborhood socioeconomic status (SES) influenced activities of daily living/instrumental activities of daily living (ADL/IADL) in Chinese older adults mediated by the neighborhood built and social environment. Their main findings showed that neighborhood SES was significantly correlated with ADL/IADL mediated by the neighborhood environment. Improving the ADL/IADL status of older adults residing in low SES neighborhoods requires enhancing the built and social environment by provisioning neighborhood resources like exercise facilities, supermarkets, and neighborhoods activities (e.g., painting, dancing).

[Dupré et al.](#) in the PROOF cohort study, which started with 1,011 French 65 year older adults in 2001 (60% men), found a dose–response between the dose of light Intensity Physical Activity (LPA), moderate to vigorous physical activity, sedentary behavior, and risk of mortality. Their findings support the inclusion of LPA (e.g., walking at own pace) in future physical activity guidelines.

[Costa et al.](#) assessed the active aging awareness of older adults in Portugal and their levels of overall wellbeing and examined social and health-related factors associated with wellbeing. Their results revealed that a range of social (e.g., education level, financial situation) and health-related factors (e.g., illnesses, doctor visit) are associated with wellbeing and active aging awareness, and also with the differences reported among different SES groups in mainland Portugal. This emphasizes the importance to address social inequalities in active aging efforts, which are not necessarily uncovered when only considering actual active aging measures.

[Jia et al.](#) investigated the role of non-cognitive skills (e.g., personality, self-esteem, and emotions) in the process of reemployment of retirees in China. The results show that non-cognitive skills are related with Chinese retirees seeking reemployment. This relationship is stronger for male retirees, people who live in a rural household, and people who are of lower age and education level.

Engagement and effects of active lifestyle interventions

In their exploratory qualitative study, [Scherpenseel van et al.](#) aimed to identify promising strategies that promote participation in fall prevention programs for Dutch community-dwelling older adults. Key proposed strategies were: (1) reframing aging and fall prevention into a life course perspective about falls, and avoiding confronting words; (2) informing about holistic benefits like living independently for longer. These insights could help in improving enrollment and maintenance of participation in fall prevention programs for older adults.

The RETirement in ACTion (REACT) study by [Ladlow et al.](#) investigated the effectiveness of the successful exercise intervention on individual markers of physical function in English older adults at 6- and 12-months. The REACT exercise program provides local, regional and national service providers with an effective solution to increase muscle strength and balance in older adults at risk of mobility disability.

Perspectives

In the light of the current and foreseen aging of the global population and the societal burden in terms of the cumulative rise in health and social care costs and human resource challenge of quantity and quality of health care professionals, this Research Topic stressed the urgent need for more attention for prevention and innovative solutions toward Active Lifestyle. Since this is a global wicked problem, the included articles provide more insights in factors, determinants, needs, engagement processes, and effects of successful interventions from different countries and cultures. The underrepresentation of concrete interventions and aspects such as relevant technology for an active lifestyle in older adults in this issue, stress the need for further action.

Author contributions

JJ: Writing—original draft, Writing—review & editing. FL: Writing—review & editing. AS: Writing—review & editing.

Funding

The author(s) declare that no financial support was received for the research, authorship, and/or publication of this article.

Acknowledgments

We are grateful to the authors who contributed to our Research Topic.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

References

1. He W, Goodkind D, Kowal P. *An Aging World: 2015*. Washington, DC: Census Bureau, Government Publishing Office (2016). Available online at: <https://www.census.gov/content/dam/Census/library/publications/2016/demo/p95-16-1.pdf> (accessed January 17, 2024).
2. World Health Organization. *World Report on Ageing and Health*. Geneva: World Health Organization (2015). Available online at: <https://www.who.int/publications/i/item/9789241565042> (accessed January 17, 2024).
3. World Health Organization. *Guidelines on Physical Activity and Sedentary Behaviour*. Geneva: World Health Organization (2020). Available at: <https://www.who.int/publications/i/item/9789240015128> (accessed 17 January, 2024).
4. Hoogendijk EO, Afilalo J, Ensrud KE, Kowal P, Onder G, Fried LP. Frailty: implications for clinical practice and public health. *Lancet*. (2019) 394:1365–1375. doi: 10.1016/S0140-6736(19)31786-6
5. Kadjo A, Cedric Y, Jacopo L, Duygu S, Rónán C, Mara M, et al. The importance of taking a patient-centered, community-based approach to preventing and managing frailty: a public health perspective. *Front Public Health*. (2020) 8:599170. doi: 10.3389/fpubh.2020.599170
6. Dogra S, Dunstan DW, Sugiyama T, Stathi A, Gardiner PA, Owen, N. Active aging and public health: evidence, implications, and opportunities. *Ann Rev Public Health*. (2021) 43:439–359. doi: 10.1146/annurev-publhealth-052620-091107
7. Sallis JF, Owen N. Ecological models of health behavior. In: Glanz, K, Rimer, BK, Viswanath, K, editors. *Health Behavior and Health Education: Theory, Research, and Practice*. San Francisco, CA: Jossey-Bass (2015). p. 43–64.