

Using mHealth for the management of hypertension in UK primary care

Grant, Sabrina; Hodgkinson, James; Schwartz, Claire Lorraine; Bradburn, Peter; Franssen, Marloes; Hobbs, F. D. Richard; Jowett, Sue; McManus, Richard J; Greenfield, Sheila

License:

None: All rights reserved

Document Version

Peer reviewed version

Citation for published version (Harvard):

Grant, S, Hodgkinson, J, Schwartz, CL, Bradburn, P, Franssen, M, Hobbs, FDR, Jowett, S, McManus, RJ & Greenfield, S 2019, 'Using mHealth for the management of hypertension in UK primary care: an embedded qualitative study of the TASMINH4 randomised controlled trial', *British Journal of General Practice*, vol. 69, no. 686, pp. e612-e620.

[Link to publication on Research at Birmingham portal](#)

Publisher Rights Statement:

Checked for eligibility: 03/10/2019

<https://doi.org/10.3399/bjgp19X704585>

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Table 2 – Facilitators and barriers to self-monitoring and telemonitoring interventions, classified by key implementation priority area

Intervention group			
Self-monitoring with mHealth		Self-monitoring without mHealth	
Facilitators	Barriers	Facilitators	Barriers
Acceptability			
<ul style="list-style-type: none"> Simple, quick and easy to use, technology widely available 	<ul style="list-style-type: none"> May not suit all people across the wider population e.g. less technologically minded patients 	<ul style="list-style-type: none"> Non-technical alternative, more usable across a wider population 	<ul style="list-style-type: none"> Paperwork unwieldy
<ul style="list-style-type: none"> Active patient engagement, empowerment to take control of 'own' BP 	<ul style="list-style-type: none"> Not all patients want to be actively engaged with BP 	<ul style="list-style-type: none"> Active patient engagement empowerment to take control of 'own' BP 	<ul style="list-style-type: none"> Not all patients want to be actively engaged with BP
Managing data			
<ul style="list-style-type: none"> Easily accessible online portal for HCP to view monthly BP readings 	<ul style="list-style-type: none"> Separate website to log in to, not linked to practice's clinical system to enter average BP calculations 	<ul style="list-style-type: none"> Hard copies/ written record of BP data for every patient, easily scanned to practice's clinical system 	<ul style="list-style-type: none"> Extra workload for health professional/ other practice staff to process the paperwork (BP readings) e.g. scanning/data entry/ averaging
<ul style="list-style-type: none"> Automatic calculation of average BP reading 	<ul style="list-style-type: none"> Average BP value does not automatically import to the practice's clinical system 	<ul style="list-style-type: none"> Easy view of the range of BP readings across the monitoring week 	<ul style="list-style-type: none"> Risk of human error manually calculating a weekly average and entering monthly BP readings for each patient
<ul style="list-style-type: none"> Web based visual metric of monthly average BP 	<ul style="list-style-type: none"> May require help of others to make the system work e.g. partner assistance, using relative's phone 	<ul style="list-style-type: none"> Once scanned in, manual written log was integral to the electronic health record 	<ul style="list-style-type: none"> –

<ul style="list-style-type: none"> Encryption on own mobile phone device keeps data secure 	<ul style="list-style-type: none"> Confidentiality and security concerns if (a) medical advice is missed/ not read (b) others (e.g. caregivers) required to help patient use system. 	—	
Integrating self-monitoring in hypertension management - Structured care			
<ul style="list-style-type: none"> Schedule for home monitoring BP provided 	<ul style="list-style-type: none"> Time consuming, too rigid protocol for some, not suitable for everyone 	<ul style="list-style-type: none"> Schedule for home monitoring BP provided 	<ul style="list-style-type: none"> Time consuming, too rigid protocol for some, not suitable for everyone
<ul style="list-style-type: none"> Rapid clinical decision making reduced clinical inertia through a trusted reliable database of home monitored BP readings 	<ul style="list-style-type: none"> Lack of reminder system for health care professionals to check BP readings. 	—	<ul style="list-style-type: none"> Lack of reminder system for health care professionals to check BP readings.
Communication			
<ul style="list-style-type: none"> Patients liked timely reminder feedback texts to send in BP readings 	<ul style="list-style-type: none"> Potential increase in face to face appointments if uncertain of texting back 	—	<ul style="list-style-type: none"> Potential increase in patients making extra appointments whilst at the practice to deliver paper readings
<ul style="list-style-type: none"> Texts sent by the GP encouraged patients to continue monitoring 	<ul style="list-style-type: none"> Some patients prefer to see their doctor about BP and vice versa, doctors prefer to see some of the patients. 	—	<ul style="list-style-type: none"> Some patients prefer to see their doctor about BP and vice versa, doctors prefer to see some of the patients.