

## The Food provision, cUlture and Environment in secondary schoolS (FUEL) study

Murphy, Marie; Pallan, Miranda; Lancashire, Emma; Duff, Rhona; Adamson, Ashley ;  
Bartington, Suzanne; Frew, Emma; Griffin, Tania; Hurley, Kiya; Parry, Jayne; Passmore,  
Sandra; Ravaghi, Vahid; Sitch, Alice; Spence, Suzanne ; Rowland, Maisie K ; Wheeldon,  
Scott ; Adab, Peymane

DOI:

[10.1136/bmjopen-2020-042931](https://doi.org/10.1136/bmjopen-2020-042931)

License:

Creative Commons: Attribution (CC BY)

*Document Version*

Publisher's PDF, also known as Version of record

*Citation for published version (Harvard):*

Murphy, M, Pallan, M, Lancashire, E, Duff, R, Adamson, A, Bartington, S, Frew, E, Griffin, T, Hurley, K, Parry, J, Passmore, S, Ravaghi, V, Sitch, A, Spence, S, Rowland, MK, Wheeldon, S & Adab, P 2020, 'The Food provision, cUlture and Environment in secondary schoolS (FUEL) study: protocol of a mixed methods evaluation of national School Food Standards implementation in secondary schools and their impact on pupils' dietary intake and dental health', *BMJ open*, vol. 10, no. 10, e042931. <https://doi.org/10.1136/bmjopen-2020-042931>

[Link to publication on Research at Birmingham portal](#)

### **Publisher Rights Statement:**

© Author(s) (or their employer(s)) 2020. Re-use permitted under CC BY. Published by BMJ. <https://creativecommons.org/licenses/by/4.0/>

### **General rights**

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.


When citing, please reference the published version.

### **Take down policy**

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact [UBIRA@lists.bham.ac.uk](mailto:UBIRA@lists.bham.ac.uk) providing details and we will remove access to the work immediately and investigate.

# BMJ Open The Food provision, cUlture and Environment in secondary schools (FUEL) study: protocol of a mixed methods evaluation of national School Food Standards implementation in secondary schools and their impact on pupils' dietary intake and dental health

Marie Murphy,<sup>1</sup> Miranda Pallan ,<sup>1</sup> Emma Lancashire,<sup>1</sup> Rhona Duff,<sup>1</sup> Ashley J Adamson,<sup>2</sup> Suzanne Bartington,<sup>1</sup> Emma Frew,<sup>1</sup> Tania Griffin,<sup>3</sup> Kiya L Hurley,<sup>4</sup> Jayne Parry,<sup>1</sup> Sandra Passmore,<sup>5</sup> Vahid Ravaghi,<sup>6</sup> Alice J Sitch,<sup>1,7</sup> Suzanne Spence,<sup>2</sup> Maisie K Rowland,<sup>2</sup> Scott Wheeldon,<sup>8</sup> Peymane Adab<sup>1</sup>

**To cite:** Murphy M, Pallan M, Lancashire E, *et al.* The Food provision, cUlture and Environment in secondary schools (FUEL) study: protocol of a mixed methods evaluation of national School Food Standards implementation in secondary schools and their impact on pupils' dietary intake and dental health. *BMJ Open* 2020;**10**:e042931. doi:10.1136/bmjopen-2020-042931

► Prepublication history and additional material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2020-042931>).

Received 19 July 2020  
Revised 17 August 2020  
Accepted 28 August 2020



© Author(s) (or their employer(s)) 2020. Re-use permitted under CC BY. Published by BMJ.

For numbered affiliations see end of article.

## Correspondence to

Dr Miranda Pallan;  
[m.j.pallan@bham.ac.uk](mailto:m.j.pallan@bham.ac.uk)

## ABSTRACT

**Introduction** Excess free sugar intake is associated with obesity and poor dental health. Adolescents consume substantially more free sugar than is recommended. National (UK) School Food Standards (SFS) are in place but are not mandatory in all schools, and their impact on the diets of secondary school pupils is unknown. We aim to evaluate how SFS and wider healthy eating recommendations (from the national School Food Plan (SFP)) are implemented in secondary schools and how they influence pupils' diets and dental health.

**Methods and analysis** Secondary-level academies/free schools in the West Midlands, UK were divided into two groups: SFS mandated and SFS non-mandated. Using propensity scores to guide sampling, we aim to recruit 22 schools in each group. We will compare data on school food provision and sales, school food culture and environment, and the food curriculum from each group, collected through: school staff, governor, pupil, parent surveys; school documents; and observation. We will explore the implementation level for the SFS requirements and SFP recommendations and develop a school food typology. We aim to recruit 1980 pupils aged 11–15 years across the 44 schools and collect dietary intake (24-hour recall) and dental health data through self-completion surveys. We will compare free sugar/other dietary intake and dental health across the two SFS groups and across the identified school types. School type will be further characterised in 4–8 case study schools through school staff interviews and pupil focus groups. Evaluation of economic impact will be through a cost-consequence analysis and an exploratory cost-utility analysis.

**Ethics and dissemination** Ethical approval was obtained from the University of Birmingham Ethical Review Committee (ERN\_18-1738). Findings will be disseminated to key national and local agencies, schools and the public

## Strengths and limitations of this study

- This research fills a gap in the literature by evaluating the impact of national school food policy on the dietary intake of secondary school pupils in the UK.
- A validated online dietary assessment tool, adapted for use in an ethnically diverse population, will be used with 1980 secondary school pupils across 44 schools.
- The research will assess variation in the implementation of the School Food Standards, School Food Plan recommendations and other contextual factors across schools.
- The study design includes qualitative research to provide an in-depth understanding of school food provision, environments and the culture/ethos relating to this.
- The study aims to compare schools that are mandated with schools that are not mandated to adhere to the School Food Standards. These two groups may differ in other ways, so to improve the comparability of the two groups, a sampling approach based on propensity scores has been conducted.

through reports, presentations, the media and open access publications.

**Trial registration number** ISRCTN 68757496 (registered 17 October 2019).

## INTRODUCTION

Excess sugar consumption is a major contributor to increased energy intake/obesity, adverse cardiometabolic health<sup>1</sup> and poor dental health.<sup>2</sup> UK adolescents consume three

times their recommended amount of total energy intake from free sugars<sup>3</sup>; almost half of 15-year-old individuals have dental caries<sup>2</sup> and nearly a third have excess weight.<sup>4</sup> Adolescence is an important time for dietary intervention as it is a key period for establishing dietary patterns,<sup>5</sup> with greater autonomy over dietary decisions. A large proportion of adolescent dietary intake occurs while at school, making these opportune settings for intervention.

In the UK, a longstanding strategy for improving children's diet has been nutritional standards for school food. School meal standards were first introduced in 1941, but fell out of favour later in the 20th century. In 2006, following a national school meal review,<sup>6</sup> national School Food Standards (SFS) were relaunched in England and became a legal requirement for most state schools. In 2015, a Department for Education (DfE) SFS review resulted in substantial changes. For ease of implementation, nutrient-based standards were removed while retaining food-based standards underpinned by a nutrient framework.<sup>7</sup>

In addition to the national SFS, the School Food Plan (SFP) was launched in 2013, providing a wider set of non-statutory recommendations for schools that promote a 'whole school' approach to healthy eating.<sup>8</sup> One central aim was to increase school meal uptake, as higher demand enables better quality meals to be served at a lower cost. Another aim was to provide practical support, advice and information for headteachers to help improve the quality and uptake of their school's food. In addition to school food provision, the plan addresses how healthy eating can be incorporated within all aspects of school life and the wider community.<sup>9</sup>

Evaluation of the impact of the 2006 SFS on food provision and consumption has been conducted in primary (age 4–11 years) and middle (age 9–12 years) schools in the UK. Pre-SFS and post-SFS implementation comparisons showed improvements in overall dietary intake in pupils aged 4–7 years, but not in those aged 11–12 years.<sup>10–12</sup> SFS implementation was good in primary schools but less so in middle schools.<sup>10</sup> Evidence of SFS impact on secondary school pupils' (aged 11–16 years) dietary intake is more limited. A study in 80 secondary schools compared school food provision in 2011 with that in 2004. They reported improvements in the nutritional content of school-provided food (in particular reduced confectionery availability) and pupils' lunchtime food consumption, but did not examine total dietary intake.<sup>13</sup>

To date, the impact of the updated SFS or the SFP has not been evaluated. The way in which SFS legislation was introduced in England means that certain school types (including academies and free schools; 70% of secondary schools in England)<sup>14</sup> that were set up between January 2010 and May 2014 are exempt from this legislation (although they can choose to voluntarily sign up to the standards), whereas schools of these types established before or after these dates are legally required to meet the SFS. This provides an opportunity to examine how a legal requirement to meet the SFS influences schools

and their pupils. Given the lack of SFS/SFP evaluation in secondary schools, we aim to investigate their influence in these settings by comparing school food provision, sales, wider school factors related to food, pupil dietary intake and dental health across those mandated and not mandated to adhere to the current SFS. We will also explore variation in the implementation of the SFS and SFP recommendations and their economic impact.

## METHODS AND ANALYSIS

This is an observational, mixed-method design study, consisting of two phases. Phase I involves collecting a variety of data on SFS/SFP implementation, and school and pupil outcomes in the SFS mandated and non-mandated schools. We will compare outcomes across the two groups and develop a typology of schools based on SFS/SFP implementation and wider school contextual factors. In phase II, we will identify a small number of 'case study' schools and conduct a qualitative inquiry to further develop the school typology. Furthermore, we will undertake an economic evaluation to assess how the costs and outcomes vary by school type.

### Study setting

The sampling frame comprises secondary phase academies/free schools providing education to children aged 11–16 years and located within 14 Local Authority areas in the West Midlands region, UK. This region has a population of five million (21% of an ethnicity other than white British),<sup>15</sup> urban, suburban and rural areas and areas of high socioeconomic deprivation.<sup>16</sup> Other school types and academies that provide specialist alternative education have been excluded.

### Phase I Sampling

To increase the comparability of the two school groups, stratified sampling, based on propensity scores, was used.<sup>17</sup> We obtained routine data from the DfE on several characteristics for all schools in the sampling frame: Local Authority area; establishment type; urban/rural; total pupil roll size; Income Deprivation Affecting Children Index; inclusion of a sixth form; selective/non-selective admissions policy; religious affiliation/secular; and proportion of: male/female pupils; pupils from Black, Asian and ethnic minority groups; students with English as a foreign language; students eligible for free school meals; and pupils with Special Educational Needs. We developed propensity scores using linear regression with the SFS status of the school (mandated/non-mandated) as the outcome and school characteristics as explanatory variables. Propensity score quartiles were then used to create four groups with subsequent division by SFS status (based on the date they received academy/free school status), resulting in eight distinct sampling groups. Following the random ordering of each group,

schools will be invited sequentially to participate, aiming to recruit five or six schools from each group.

Within participating schools, pupils in one class from each of years 7, 9 and 10 (aged 11–12, 13–14 and 14–15 years, respectively) will be invited to take part. Preference will be given to classes not streamed by academic ability or subject to enable participation of classes that are representative of the year group characteristics. There are no pupil exclusion criteria.

### Sample size calculation

We used data on free sugar intake pre-SFS and post-SFS implementation from the study undertaken in middle schools by Adamson *et al*<sup>10</sup> to inform our sample size calculation. Assuming an intraclass correlation coefficient of 0.1<sup>18</sup> and balanced cluster sizes, we estimated that to detect a difference in mean free sugar intake at lunch of 4g (20g vs 16g) between the two school groups, assuming an SD of 11 with 90% power and at 5% significance, we require 990 evaluable participants and 22 clusters (conservatively using schools<sup>19</sup>) in each group (total schools=44; total participants n=1980; cluster size=45).

### Recruitment

Headteachers will be invited by post and email with a telephone follow-up. In participating schools, a liaison staff member will be identified and a contract, outlining expected commitments from both parties, will be signed. Once data collection is complete, participating schools will receive a school-specific summary report and £300.

At least 7 days prior to pupil data collection, pupils from the three selected classes will receive a participant information pack (comprising pupil and parent information sheets and a parental opt-out consent form). Schools will also be asked to email documents directly to parents. Pupils whose parents do not return a completed opt-out consent form will be invited to take part in the data collection sessions during the school day and asked for their electronic assent for study participation. Parents of pupils in selected classes will be invited to complete a self-administered parent survey (online or paper copy). Both pupils and parents who participate will receive a £5 voucher.

Participating schools will be asked to identify key staff/governors with roles relating to food provision, eating environment, food curriculum, or SFS/SFP implementation. Identified staff will be sent a staff participant information sheet (email/paper copy) and study invitation for a self-administered survey (online or paper format). Recruitment and data collection processes are outlined in the online supplemental file 1.

School and pupil recruitment commenced in October and November 2019, respectively, and was due to be completed in the 2019/2020 academic year. However, due to restrictions in place in England during the COVID-19 pandemic, recruitment and data collection were suspended in March 2020 and will recommence when schools reopen for all pupils to attend. All further

data collection activities will be undertaken in accordance with the relevant Department of Health and Social Care and DfE' health protection guidance.

### Data collection

#### *Data capture on SFS and SFP implementation and the wider school context*

A logic model setting out the processes by which the SFS/SFP are assumed to generate pupil health gains has been developed (figure 1). Briefly, we hypothesise that health gain materialises directly via a change in school food consumption and indirectly by curricular and other activities designed to change pupils' dietary knowledge, attitudes and beliefs that impact on food consumption in and out of school. The extent to which the SFS/SFP achieve these health gains depends on their implementation within a school, which is influenced by key contextual factors (eg, school management, parental engagement and so on).

Our data collection strategy, guided by the principles for process evaluation outlined in the UK Medical Research Council guidance,<sup>20</sup> will provide data to populate and refine the logic model. This will enable us to assess the extent to which the SFS requirements and SFP recommendations are embedded in each school and the relative importance of contextual factors in influencing this. Our data collection methods include: school menu analysis; observation of school food provision and the related environment; school document review; collection of aggregated routine data on pupil characteristics; and self-administered surveys for staff, governors, pupils and parents.


#### *Assessment of SFS compliance and SFP recommendations implementation*

SFS compliance assessment is based on the national SFS checklists for school lunch and school food other than lunch<sup>21</sup> that consist of daily, weekly and three-weekly criteria for food and drink offered. Using an observation tool developed to measure compliance with the SFS daily criteria, trained researchers will record food and drink provision at all eating occasions across one school day, and at all school food outlets and dining areas. Compliance with the SFS weekly and three-weekly criteria will be assessed from schools' weekly menus.

Implementation of the SFP recommendations is based on three guidance documents produced by the DfE: (1) a headteacher checklist; (2) a guide to creating a culture and ethos of healthy eating; and (3) guidance for governors.<sup>22–24</sup> Implementation will be assessed through questions in the surveys to pupils, parents, staff and governors; researcher observation of food outlets and dining areas; and school document review, for example, school food policy, catering contract, curriculum documents and minutes of the Board of Governors and School Council meetings.

The school staff and governor surveys include a series of questions based on Normalisation Process





**Figure 1** Logic model and theory of change for the influence of School Food Standards on children's dietary intake and health outcomes.

Theory (NPT),<sup>25</sup> to explore the implementation and sustained embedding of the SFS/SFP. The items in the NoMAD instrument (developed to assess the four NPT constructs)<sup>26</sup> were adapted for relevance to the SFS/SFP and the school setting.

#### Assessment of school lunch uptake and food sales

To assess school lunch uptake, schools will be asked to provide their routinely collected school meal uptake data. To assess school food sales, we will request weekly aggregated food sales data for two prespecified months in the previous year. Most schools use online payment management systems, which provide sales data by types of food/drinks sold. We will extract data on the number of items sold for both SFS restricted food/drinks (including sugar-sweetened beverages, confectionery, fried food, snacks and so on) and predefined healthy foods and compare sales of these food categories across schools, taking into account school size and school lunch uptake.

#### Assessment of school contextual factors

We will collect data on a variety of contextual factors through observation; school document review; and the staff, governor, pupil and parent surveys, with further exploration in the second phase case studies. These factors include: the physical school environment; school leadership and organisational culture; the influence of governors; staff knowledge and skills; school engagement

with parents; and school financial considerations. In addition, socioeconomic and demographic characteristics of the pupil population will be assessed through routinely available school data. Information on SFS voluntary sign up will also be requested from non-mandated schools.

#### Data capture on SFS/SFP resource use

Food provision costs will be estimated from a detailed list of resources obtained through a school staff survey, 1-day researcher observation, catering contracts, and school menus and pricing. Wider costs associated with SFP implementation will be obtained from school staff, parent and pupil surveys and observation. Each resource use item will be costed using financial data supplied by the school or obtained from the published literature.

#### Pupil outcome data collection

We aim to compare dietary intake and dental health in pupils in the two defined SFS school groups. The primary outcomes are intake of free sugars (grams): (1) during school day lunch (determined by asking pupils when they ate their lunch); (2) while at school; and (iii) during the full 24-hour period of the same school day. Secondary dietary outcomes include: percentage of dietary energy intake from free sugars; total energy intake (kcal); total fat intake (grams); fibre intake (grams); number of sugar-sweetened beverages consumed; number of sugar and chocolate confectionery items consumed; number of

foods high in fat, sugar and salt consumed; and number of fruit and vegetable portions consumed. These outcomes will also be compared across the two school groups for the three defined time periods (school day lunch; while in school; over 24 hours). Additional secondary dietary outcomes are: free sugar intake providing >5% energy intake; number of eating/drinking occasions (excluding plain water); and consumption of five or more portions of fruit and vegetables per day. Secondary outcomes relating to dental health are: the presence of dental caries; the number of dental caries symptoms; and treatment received for dental caries.

Self-reported pupil data will be collected in school, during two timetabled sessions approximately 1–4 weeks apart. Pupils will complete an online survey at each session followed by a 24-hour recall dietary assessment. The first and second sessions will be facilitated by trained researchers and classroom teachers, respectively. An alternative activity will be provided for non-participating pupils.

#### Dietary intake assessment

Dietary intake will be measured using Intake24, an online self-completion 24-hour dietary recall tool based on the multiple pass method, which has been shown to be the most accurate for assessing adolescent dietary intake.<sup>27</sup> Compared with interviewer-led recall, Intake24 underestimated energy intake by just 1% in this age group, and differences in mean macronutrient/micronutrient intakes between the two methods were within 4%.<sup>28</sup>

Nutrient analysis of Intake24 data uses the National Diet and Nutrition Survey food database containing over 2300 foods linked to the UK Nutrient Databank codes.<sup>29</sup> Intake24 piloting, community nutritionist consultation and literature review identified food/drinks commonly consumed by minority ethnic groups but not included in this database (n=63), which were added to Intake24. Nutritional data for these items were obtained through matching to existing items in Intake24 or from other existing food composition sources.<sup>30 31</sup> Photographs are used for portion size estimation, a method which has shown good agreement with 4-day weighed intakes in adolescents.<sup>32 33</sup>

#### Assessment of dental caries experience

We will use validated self-report measures from the national Child Dental Health Survey<sup>2</sup> to assess dental caries symptoms in the last 3 months and treatment received in the last 24 months. Self-reported tooth brushing frequency data will also be collected.

#### Other pupil data collection

Pupils will be asked to provide their age, sex, ethnicity, postcode (for mapping to Index of Multiple Deprivation (IMD) scores and exposure to fluoridated water), usual lunch type (school-provided vs home-packed), usual mode of travel to/from school and sleep/wake times for the previous night. Pupils will also complete the Child

Health Utilities 9-Dimension (CHU-9D) questionnaire, a utility-based health-related quality of life questionnaire,<sup>34</sup> for use within the economic evaluation.

#### Data collection tool piloting

The school staff, governor, pupil and parent surveys, the adapted Intake24 and the observation tool were piloted with the relevant target groups. The tools were revised in line with the feedback obtained.

#### Data analysis

##### Preliminary development of a school typology

Using the logic model (figure 1) as a guide, we will use data captured on SFS/SFP implementation and the school context to develop an initial typology of schools, which will reflect the degree of implementation of the SFS/SFP and other relevant local initiatives relating to food and healthy eating.

##### Analysis of pupil outcomes

Pupils will have a maximum of two 24-hour recalls for dietary intake measures. To summarise dietary outcomes, we will report the average value across the 2 days for each pupil. If only a single day is available, we will use data from that day only. Differences between the SFS mandated and SFS non-mandated school groups for both primary and secondary pupil outcomes will be assessed using multilevel linear models that account for clustering at the school and class level (and at the Multi-Academy Trust level if applicable). Models will include adjustment for propensity scores and pupil-level covariates (school year group, sex, ethnicity, IMD score and school-provided vs home-packed lunch). Models for dietary outcomes will use data recorded each day, allowing for the repeated outcome measures. Models for dental outcomes will be additionally adjusted for oral healthcare factors and water fluoridation exposure. We will also explore whether the associations between school SFS status and pupil outcomes differ across age, socioeconomic position (indicated by IMD score), or usual lunch type (school-provided vs home-packed) by adding the relevant interaction terms to the developed models. If more than 5% of data are missing from demographic variables, multiple imputation methods will be used and sensitivity analyses conducted.

If possible, within the group of schools which are not mandated to adhere to the SFS, we will undertake an exploratory analysis to examine differences in pupil outcomes between schools who have and have not voluntarily signed up to the SFS. In addition, we will develop further linear multilevel models to explore potential associations between the identified school types and pupil outcomes, again adjusting for clustering, potential pupil-level confounders and propensity scores, as described previously.

#### Phase II: school case studies

A number of schools (n=4–8) will be asked to participate in a qualitative study. Schools will be selected to comprise

a range of school types and include at least two schools from the SFS non-mandated group not reporting voluntary sign up. These schools will receive a further £150.

We will undertake interviews with key school stakeholders (identified by the school Senior Leadership Team, aiming for 4–6 per school) to explore in more depth the way in which the SFS/SFP and local school policy or initiatives are introduced, embedded and sustained in the schools, and their perceived influence on the dietary intake of pupils. Data collection will be shaped with reference to the four constructs, and their constituent components, within May *et al*'s NPT<sup>25</sup> and by Maguire *et al*'s exploration of policy enactment in English schools.<sup>35</sup> Interviewees will be encouraged to tell their 'story' relating to their experiences of the SFS/SFP; how the provision of food, eating environments and the food/cooking curriculum have been shaped within their schools; and the influence of the wider school context.

Through focus groups (FGs) with school pupils (aiming for one FG in each included year group per school, comprising 6–8 participants per FG) we will explore their views of the school food environment, contextual factors influencing this, and how they interact with this and the wider external environment surrounding the school, in terms of their eating behaviour. We will also explore the views and experiences of any negative impact of SFS/SFP and the regulation of foods provided. Participating pupils will receive a £5 voucher.

Interviews/FGs will be audio-recorded with participant consent, transcribed *ad verbatim* and anonymised. We will use the framework analytical approach,<sup>36</sup> and within this undertake thematic analysis, guided by NPT and Maguire *et al*'s policy enactment exploration.<sup>25 35</sup>

### Economic evaluation

To evaluate the economic impact of the SFS and the wider SFP, a cost–consequence analysis will be undertaken. We will summarise costs and outcomes in the form of a balance sheet. The analysis will highlight the costs to schools and families, and offer a transparent range of outcome measures for consideration. In addition, we will conduct an exploratory cost–utility analysis. Quality-Adjusted Life Years (QALYs) will be constructed from pupil responses to CHU-9D to allow inferences to be made about QALY-differences between the two school groups offset against the cost.

### Patient and public involvement

During research plan development, the deputy head-teacher member of the investigator team advised on engaging schools and pupils and access to food sales data and provided background information on school management and governance systems. In addition, we consulted with a group of parents of secondary school children and a group of secondary school pupils, a teacher and a manager of a school catering company, who advised on school, pupil and parent recruitment, data collection methods and survey content. To provide ongoing advice

from a public perspective, we have convened a group of parents, teachers and secondary school governors (n=8), and two groups of secondary school pupils to consult with at key points throughout the study. To date, these groups have reviewed and piloted surveys and Intake24, and advised on developing a safeguarding policy; school, staff, pupil and parent recruitment and school retention; data collection practicalities; and the alternative activity for non-participating pupils.

### ETHICS AND DISSEMINATION

Full ethical approval for the study was obtained from the University of Birmingham Science, Technology, Engineering and Mathematics Ethical Review Committee on 20 August 2019 (ERN\_18-1738).

### Data management and study oversight

The University of Birmingham is the Study Sponsor and data controller and assumes overall responsibility for the study. Data management and storage is compliant with the UK Data Protection Act 2018 and follows the relevant University of Birmingham policy and procedures. Anonymised data will be stored securely for a minimum of 10 years after the publication of the main study results.

An independently chaired Study Steering Committee (SSC) has been convened to provide study oversight. Membership comprises three independent academics with relevant expertise, a representative from Public Health England (PHE), a public representative and the Chief Investigator. The Committee has agreed on the current protocol and will review subsequent amendments.

### Dissemination

Study findings will be disseminated to key national agencies (eg, Department of Health and Social Care, DfE, PHE, School Food Alliance, National Association for Headteachers and the Lead Association for Caterers in Education (LACA)), local level organisations (eg, Regional School Commissioners and Local Authorities), and schools through reports, conference/meeting presentations, the educational and general press and open access publications. The public representatives on the Investigator team, SSC and other public engagement groups will advise further on dissemination plans for the study findings. A full report of the study will be published in the *NIHR Journals Library*. After the publication of the main study findings, anonymised data will be available on request from the study Chief Investigators.

### Author affiliations

<sup>1</sup>Institute of Applied Health Research, University of Birmingham, Birmingham, UK

<sup>2</sup>Human Nutrition Research Centre, Population Health Sciences Institute, Newcastle University, Newcastle upon Tyne, UK

<sup>3</sup>Department for Health, University of Bath, Bath, UK

<sup>4</sup>Cancer Research UK Clinical Trials Unit, University of Birmingham, Birmingham, UK

<sup>5</sup>Services for Education Ltd, Birmingham, UK

<sup>6</sup>School of Dentistry, University of Birmingham, Birmingham, UK

<sup>7</sup>NIHR Birmingham Biomedical Research Centre, University Hospitals Birmingham NHS Foundation Trust, Birmingham, UK



<sup>a</sup>Wheelers Lane Technology College, Birmingham, UK

**Acknowledgements** The authors thank their Study Steering Group members Sheila Birdi, Helen Carter, Ann Hughes, Christopher Owen, Alexander Turner and Robert West (Chair) for their guidance. They are grateful for the contributions that public advisors have made, including pupils and teachers at two schools in the West Midlands. They are also grateful to all those individuals who piloted study materials or provided advice on food/drink items commonly consumed by minority ethnic groups in the West Midlands.

**Contributors** MP and PA are the Chief Investigators with overall responsibility for the study. They conceived the study with input from SB and EL. MP and PA led on protocol development with contribution from all named authors. MP, PA, EL, MM and RD developed the data collection tools. AJA and MKR designed the dietary data collection tool Intake24, and RD, MKR, MM and MP contributed to the adaptation and piloting of Intake24 for the purposes of this study. AJS designed and conducted the sampling procedure, and developed the analysis plan. EF designed the economic evaluation. VR advised on dental outcome measures. JP advised on the case study methodology. SP and SW advised on recruiting and working within schools. SS advised on the procurement and analysis of school food sales data. TG and KH advised on a range of methodological and practical aspects of the study. MM, MP, EL and RD drafted the manuscript and all authors critically reviewed the manuscript and agreed the final draft.

**Funding** This study is funded by the National Institute for Health Research (NIHR) Public Health Research programme (17/92/39). AJS is part-funded by the NIHR Birmingham Biomedical Research Centre at the University Hospitals Birmingham NHS Foundation Trust. The views expressed are those of the authors and not necessarily those of the NIHR or the Department of Health and Social Care.

**Competing interests** MP, EL, AJA, SB, EF, TG, KH, JP, SP, VR, AJS and PA hold grants from the UK National Institute for Health Research (NIHR). PA is Chair of the NIHR Public Health Research Funding Committee. AJA is Director of the NIHR School for Public Health Research, a NIHR Senior Investigator and a member of both the School Food Plan Alliance and UK Prevention Research Partnership network Generating Excellent Nutrition in UK Schools (GENIUS). JP is Chair of a NIHR Fellowships selection committee. AJS is a grant holder for the Birmingham NIHR Biomedical Research Centre. SB is an elected member of Oxfordshire County Council.

**Patient consent for publication** Not required.

**Provenance and peer review** Not commissioned; peer reviewed for ethical and funding approval prior to submission.

**Supplemental material** This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution 4.0 Unported (CC BY 4.0) license, which permits others to copy, redistribute, remix, transform and build upon this work for any purpose, provided the original work is properly cited, a link to the licence is given, and indication of whether changes were made. See: <https://creativecommons.org/licenses/by/4.0/>.

## ORCID iD

Miranda Pallan <http://orcid.org/0000-0002-2868-4892>

## REFERENCES

- Johnson RK, Appel LJ, Brands M, *et al.* Dietary sugars intake and cardiovascular health: a scientific statement from the American heart association. *Circulation* 2009;120:1011–20.
- Holmes R, Porter J, Vernazza C, *et al.* *Children's dental health survey 2013*. England: Country Specific Report, 2015.
- Bates B, Cox L, Nicholson S, *et al.* *Results of the National diet and nutrition survey (NDNS) rolling programme for 2012 to 2013 and 2013 to 2014*. London, 2016.

- Conolly A. *Health survey for England 2015: children's body mass index, overweight and obesity*. Leeds, 2016.
- Wang Y, Bentley ME, Zhai F, *et al.* Tracking of dietary intake patterns of Chinese from childhood to adolescence over a six-year follow-up period. *J Nutr* 2002;132:430–8.
- Hope P. *Statutory instrument 2006 No. 2381 the education (nutritional standards for school lunches) (England) regulations*. London, 2006.
- Mucavele P, Nicholas J, Sharp L. Development and pilot testing of revised food-based standards for school lunches in England. Sheffield: Children's Food Trust, 2013. Available: <https://www.schoolfoodplan.com/wp-content/uploads/2014/02/School-Food-Plan-Pilot-study-EVALUATION-REPORT-Final-V3.pdf>
- The School Food Plan. The independent school food plan, 2019. Available: <http://www.schoolfoodplan.com/>
- Dimbleby H, Vincent J. The school food plan 201, 2020. Available: [http://www.schoolfoodplan.com/wp-content/uploads/2013/07/School\\_Food\\_Plan\\_2013.pdf](http://www.schoolfoodplan.com/wp-content/uploads/2013/07/School_Food_Plan_2013.pdf)
- Adamson AJ, White M, Stead M. *The process and impact of change in the school food policy on food and nutrient intake of children aged 4-7 and 11-12 years both in and out of school: a mixed methods approach: public health research Consortium*, 2012.
- Spence S, Delves J, Stamp E, *et al.* The impact of food and nutrient-based standards on primary school children's lunch and total dietary intake: a natural experimental evaluation of government policy in England. *PLoS One* 2013;8:e78298.
- Spence S, Matthews JNS, White M, *et al.* A repeat cross-sectional study examining the equitable impact of nutritional standards for school lunches in England in 2008 on the diets of 4-7y olds across the socio-economic spectrum. *Int J Behav Nutr Phys Act* 2014;11:128.
- Nicholas J, Wood L, Harper C, *et al.* The impact of the food-based and nutrient-based standards on lunchtime food and drink provision and consumption in secondary schools in England. *Public Health Nutr* 2013;16:1052–65.
- Morse A. *Converting maintained schools to academies*. London: National Audit Office, 2018.
- Gov.uk. Regional ethnic diversity 2018, 2020. Available: <https://www.ethnicity-facts-figures.service.gov.uk/uk-population-by-ethnicity/national-and-regional-populations/regional-ethnic-diversity/latest#areas-of-england-and-wales-by-ethnicity>
- Medland A. *Portrait of the West Midlands*. Office for National Statistics, 2011.
- Rubin DB. Estimating causal effects from large data sets using propensity scores. *Ann Intern Med* 1997;127:757–63.
- Juras R. Estimates of intraclass correlation coefficients and other design parameters for studies of school-based nutritional interventions. *Eval Rev* 2016;40:314–33.
- Hemming K, Lilford R, Gillingham A. Stepped-wedge cluster randomised controlled trials: a generic framework including parallel and multiple-level designs. *Stat Med* 2015;34:181–96.
- Moore G, Audrey S, Barker M, *et al.* Process evaluation of complex interventions: a summary of Medical Research Council guidance. In: Richards D, Hallberg IR, eds. *Complex interventions in health: an overview of research methods*. Abingdon: Routledge, 2015.
- The School Food Plan. School food standards: a practical guide for schools their cooks and caterers 2016, 2019. Available: <http://www.schoolfoodplan.com/wp-content/uploads/2014/06/School-Food-Standards-Guidance-FINAL-V1a-140616.pdf>
- The School Food Plan. A checklist for head teachers 2013, 2019. Available: [https://www.schoolfoodmatters.org/sites/default/files/SFP-Headteacher-Checklist\\_0.pdf](https://www.schoolfoodmatters.org/sites/default/files/SFP-Headteacher-Checklist_0.pdf)
- The School Food Plan. Creating a culture and ethos of healthy eating 2013, 2019. Available: <http://www.schoolfoodplan.com/wp-content/uploads/2015/09/Creating-a-culture-ethos-of-healthy-eating-Practical-Guidance-Final.pdf> [Accessed June 2019].
- The School Food Plan. School food: guidance for governors 2013, 2019. Available: [http://www.schoolfoodplan.com/wp-content/uploads/2016/03/School-Governors\\_Guidance.pdf](http://www.schoolfoodplan.com/wp-content/uploads/2016/03/School-Governors_Guidance.pdf) [Accessed June 2019].
- May C, Finch T, Implementing FT. Implementing, embedding, and integrating practices: an outline of normalization process theory. *Sociology* 2009;43:535–54.
- Finch TL, Gillingham M, May CR, *et al.* NoMad: implementation measure based on normalization process theory, 2015. Available: <http://www.normalizationprocess.org>
- Burrows TL, Martin RJ, Collins CE. A systematic review of the validity of dietary assessment methods in children when compared with the method of doubly labeled water. *J Am Diet Assoc* 2010;110:1501–10.
- Bradley J, Simpson E, Poliakov I, *et al.* Comparison of INTAKE24 (an online 24-h dietary recall tool) with Interviewer-Led 24-h recall in 11-24 year-old. *Nutrients* 2016;8:358.



- 29 Roe M, Pinchen H, Church S, *et al.* *McCance and Widdowson's the composition of foods* seventh summary edition and updated composition of foods integrated dataset. *Nutr Bull* 2015;40:36–9.
- 30 Stadlmayr B, Charrondiere UR, Enujiugha VN, *et al.* West African food composition table, 2019. Available: <http://www.fao.org/3/a-i2698b.pdf>
- 31 Public Health England. Composition of foods integrated dataset (CoFID), 2019. Available: <https://www.gov.uk/government/publications/composition-of-foods-integrated-dataset-cofid>
- 32 Foster E, Hawkins A, Barton KL, *et al.* Development of food photographs for use with children aged 18 months to 16 years: Comparison against weighed food diaries - The young person's food atlas (UK). *PLoS One* 2017;12:e0169084.
- 33 Foster E, Matthews JNS, Lloyd J, *et al.* Children's estimates of food portion size: the development and evaluation of three portion size assessment tools for use with children. *Br J Nutr* 2008;99:175–84.
- 34 Stevens K. CHU-9D. measuring health and calculating QALYs for children and adolescents, 2019. Available: <https://licensing.sheffield.ac.uk/i/health-outcomes/CHU-9D.html>
- 35 Maguire M, Braun A, Ball S. 'Where you stand depends on where you sit': the social construction of policy enactments in the (English) secondary school. *Discourse* 2015;36:485–99.
- 36 Gale NK, Heath G, Cameron E, *et al.* Using the framework method for the analysis of qualitative data in multi-disciplinary health research. *BMC Med Res Methodol* 2013;13:117.